MATERIAL SAFETY DATA SHEET (Prepared According to 29 CFR 1910.1200)

	1 - PRODUCT	IDENTIFICATION				
Distributor	MKG Sales Asso	ociates, Inc.		Emergency Phone	(609) 953-4700	
Address	130 Miller Road -	Medford Industrial Park Medfo	rd, NJ 08055	1		
Trade Name	WINDSHIELD SC	DLVENT RTU		Product Type Wind	shield Washer Solvent	
SECTION :	2 - HAZARDOL	JS INGREDIENTS				
С	CHEMICAL NAME/C	OMMON NAME	CAS NO.	PERCENT(optional) TLV(Source)	
Methanol*			67-56-1	Max. 20	OSHA (TWA) 200 ppm; ACGIH	(TLV) 200 ppm
		313-CONTAINS THE STARRED	` '	_		
1 -	nts in this product are		eight or less than 0.1	% for carcinogens x	Not hazardous X Declared	to be Trade Secre
	3 - PHYSICAL				(0010)	00)
Boiling point(°F		Specific Gravity(H2O=1.0			0.0	²⁰ 12.0 to 12.3
Vapor Pressure	• • • • • • • • • • • • • • • • • • • •	Unknown	Vapor Density(•	Unknown	
Solubility in wat	LA Comp			(or Dispersible)	Slight (or Partial)	
Evaporation Ra		X Faster	☐ Slower		ut the Same	
Appearance and SECTION		EXPLOSION HAZARD	DATA			
Flash Point(T.C		than 100°F. None to Boilin		mits Upper Linknow	Lower	
Extinguishing M			g Flammable Lii	nits Upper Unknow	n Lower Unknown	
	COZ, dry Ci	hemical, foam, water spray. not enter confined fire-spaces	without protective of	lothing and solf-contain	and air supply	
1 '	nd Explosion Hazards	None known	williout protective t	lottillig and self-contain	ieu aii suppiy.	
SECTION	5 - REACTIVIT	Y DATA				
Stability Sta	able	Incompatibility Stro	ong oxidizers			
	composition Products					
		Carbon monoxide and other	unidentified organic	gases may occur durin	g incomplete combustion.	
SECTION	6 - HEALTH H	Carbon monoxido ana canon	unidentified organic	gases may occur durin	g incomplete combustion.	
Primary Routes		Carbon monoxido ana canon	unidentified organic	_	g incomplete combustion. nhalation Uother	
Primary Routes Signs	s of Exposure Eyes: liquid or vapo	AZARDS X Eye X Skin or can cause slight to moderate	Oral	longed or repeated co	nhalation Unther	ation. Ingestion
Primary Routes Signs and Symptoms	Eyes: liquid or vapo of large quantities r	AZARDS IX Eye IX Skin or can cause slight to moderate may cause drowsiness or loss of	X Oral irritation. Skin: proof consciousness. S	longed or repeated contomach cramps, pain,	nhalation Uhen tact can cause dryness and irrit nausea, vomiting and diarrhea n	ation. Ingestion nay occur.
Primary Routes Signs and Symptoms	Eyes: liquid or vapo of large quantities r	AZARDS IX Eye IX Skin or can cause slight to moderate may cause drowsiness or loss of	X Oral irritation. Skin: proof consciousness. S	longed or repeated contomach cramps, pain,	nhalation Unther	ation. Ingestion nay occur.
Primary Routes Signs and Symptoms of Overexposur (Acute)	s of Exposure Eyes: liquid or vapor of large quantities region in the large of larg	AZARDS IX Eye IX Skin or can cause slight to moderate may cause drowsiness or loss of	X Oral irritation. Skin: proof consciousness. S	longed or repeated contomach cramps, pain,	nhalation Uhen tact can cause dryness and irrit nausea, vomiting and diarrhea n	ation. Ingestion nay occur.
Primary Routes Signs and Symptoms of Overexposur (Acute) Signs and Symptoms	Eyes: liquid or vapor of large quantities re re Inhalation of large of	AZARDS X Eye X Skin or can cause slight to moderate may cause drowsiness or loss of quantities of product in inadequence (Chronic) None known	Tirritation. Skin: proof consciousness. Suately ventilated area	longed or repeated contomach cramps, pain, as may cause irritation	nhalation Uother tact can cause dryness and irrit nausea, vomiting and diarrhea n of respiratory tract, headache, r	ation. Ingestion nay occur. ausea.
Primary Routes Signs and Symptoms of Overexposur (Acute) Signs and Sym Medical Condition Aggravated by Ove	Eyes: liquid or vapor of large quantities re Inhalation of large of ptoms of Overexposure None known of Expression of None Known of Expression	AZARDS X Eye X Skin or can cause slight to moderate may cause drowsiness or loss of quantities of product in inadequence (Chronic) None known	X Oral rirritation. Skin: pro of consciousness. S uately ventilated area Carcir	longed or repeated contomach cramps, pain, as may cause irritation	nhalation Uother tact can cause dryness and irrit nausea, vomiting and diarrhea n of respiratory tract, headache, r	ation. Ingestion nay occur. ausea.
Primary Routes Signs and Symptoms of Overexposur (Acute) Signs and Symp Medical Condition Aggravated by Ove SECTION	Eyes: liquid or vapor of large quantities represented in the control of large of the control of large of the control of the co	AZARDS X Eye X Skin or can cause slight to moderate may cause drowsiness or loss of quantities of product in inadequence (Chronic) None known vn	irritation. Skin: proof consciousness. Suately ventilated area	longed or repeated cortomach cramps, pain, as may cause irritation	nhalation Other stact can cause dryness and irrit nausea, vomiting and diarrhea n of respiratory tract, headache, r gen Ingredient NTP OSH.	ation. Ingestion nay occur. ausea.
Primary Routes Signs and Symptoms of Overexposur (Acute) Signs and Sym Medical Condition Aggravated by Ov SECTION Eyes Flu	Eyes: liquid or vapor of large quantities represented in the control of large of the control of large of the control of the co	Eye X Skin or can cause slight to moderate may cause drowsiness or loss of quantities of product in inadequere(Chronic) None known or CY AND FIRST AID Provider for at least 15 minutes. If	irritation. Skin: proof consciousness. Suately ventilated area	longed or repeated cortomach cramps, pain, as may cause irritation	nhalation Other stact can cause dryness and irrit nausea, vomiting and diarrhea n of respiratory tract, headache, r gen Ingredient NTP OSH.	ation. Ingestion nay occur. ausea.
Primary Routes Signs and Symptoms of Overexposur (Acute) Signs and Sym Medical Condition Aggravated by Ove SECTION Eyes Flu Skin Wa Ingestion Dri	Eyes: liquid or vapor of large quantities represented in the control of large of lar	Eye X Skin or can cause slight to moderate may cause drowsiness or loss of quantities of product in inadequere(Chronic) None known or CY AND FIRST AID Provider for at least 15 minutes. If	x Oral rirritation. Skin: pro of consciousness. S pately ventilated area Carcin PROCEDURES persistent irritation	longed or repeated cortomach cramps, pain, as may cause irritation	nhalation Other stact can cause dryness and irrit nausea, vomiting and diarrhea n of respiratory tract, headache, r gen Ingredient NTP OSH.	ation. Ingestion nay occur. ausea.
Primary Routes Signs and Symptoms of Overexposur (Acute) Signs and Sym Medical Condition Aggravated by Ove SECTION Eyes Flu Skin Wa Ingestion Dri Inhalation No	Eyes: liquid or vapor of large quantities replaced in the liquid or vapor of large quantities of the liquid or vapor of large quantities of other applicable.	Eye X Skin or can cause slight to moderate may cause drowsiness or loss of quantities of product in inadequere (Chronic) None known or CY AND FIRST AID Property of the pap and water. milk or water. Call a physician.	rirritation. Skin: prof consciousness. Stately ventilated area Carcin	longed or repeated cortomach cramps, pain, as may cause irritation	nhalation Other stact can cause dryness and irrit nausea, vomiting and diarrhea n of respiratory tract, headache, r gen Ingredient NTP OSH.	ation. Ingestion nay occur. ausea.
Primary Routes Signs and Symptoms of Overexposur (Acute) Signs and Symp Medical Condition Aggravated by Ove SECTION Eyes Flu Skin Wa Ingestion Dri Inhalation No	Eyes: liquid or vapor of large quantities of the promote of Overexposure of Ov	EY AND FIRST AID F Water for at least 15 minutes. If pap and water. MIX Eye	Carcin PROCEDURES i persistent irritation	longed or repeated cortomach cramps, pain, as may cause irritation	nhalation Other stact can cause dryness and irrit nausea, vomiting and diarrhea n of respiratory tract, headache, r gen Ingredient NTP OSH.	ation. Ingestion nay occur. ausea.
Primary Routes Signs and Symptoms of Overexposur (Acute) Signs and Sym Medical Condition Aggravated by Ove SECTION Eyes Flu Skin Ungestion Inhalation Respiratory Pro	Eyes: liquid or vapor of large quantities re Inhalation of large of ptoms of Overexposure None know 7 - EMERGEN with immediately with vash thoroughly with so ink large quantities of the applicable 8 - SPECIAL Forest Control of the	EY AND FIRST AID POWATER for at least 15 minutes. If pap and water. PROTECTION INFORT and under the page and under normal conditions of use and under norma	Carcin PROCEDURES f persistent irritation MATION Seinritation. Skin: pro Carcin PROCEDURES MATION Se.	longed or repeated cortomach cramps, pain, as may cause irritation	nhalation Other stact can cause dryness and irrit nausea, vomiting and diarrhea n of respiratory tract, headache, r gen Ingredient NTP OSH.	ation. Ingestion nay occur. ausea.
Primary Routes Signs and Symptoms of Overexposur (Acute) Signs and Sym Medical Condition Aggravated by Ove SECTION Eyes Flu Skin Wa Ingestion Dri Inhalation No SECTION Respiratory Pro Ventilation Req	Eyes: liquid or vapor of large quantities replaced in the liquid or vapor of large quantities replaced in the large quantities of the large quantities	EXACARDS X Eye X Skin or can cause slight to moderate may cause drowsiness or loss of quantities of product in inadequence (Chronic) None known or CY AND FIRST AID For water for at least 15 minutes. If pap and water. milk or water. Call a physician. PROTECTION INFORMATION of under normal conditions of us pocal Exhaust X Mechanica	Carcin PROCEDURES To persistent irritation MATION se.	longed or repeated contomach cramps, pain, as may cause irritation mogen/Suspect Carcinos	nhalation Uther Intact can cause dryness and irrit nausea, vomiting and diarrhea n of respiratory tract, headache, r gen Ingredient NTP OSH.	ation. Ingestion nay occur. ausea.
Primary Routes Signs and Symptoms of Overexposur (Acute) Signs and Sym Medical Condition Aggravated by Ow SECTION Eyes Flu Skin Wa Ingestion Dri Inhalation No SECTION Respiratory Pro Ventilation Req Protective Glov	Eyes: liquid or vapor of large quantities of re Inhalation of large of ptoms of Overexposure of Property of Proper	Eye X Skin or can cause slight to moderate may cause drowsiness or loss of quantities of product in inadequate (Chronic) None known or CY AND FIRST AID Provided in the product of the p	Carcin PROCEDURES To persistent irritation MATION See. I Other Ingles Other Feedom Carcin Process of the content of the co	longed or repeated cortomach cramps, pain, as may cause irritation	nhalation Uther Intact can cause dryness and irrit nausea, vomiting and diarrhea n of respiratory tract, headache, r gen Ingredient NTP OSH.	ation. Ingestion nay occur. ausea.
Primary Routes Signs and Symptoms of Overexposur (Acute) Signs and Symp Medical Condition Aggravated by Ove SECTION Eyes Flu Skin Wa Ingestion Dri Inhalation No SECTION Respiratory Pro Ventilation Req Protective Glov SECTION	Eyes: liquid or vapor of large quantities of the process of Overexposure of Ov	AZARDS X Eye X Skin Dr can cause slight to moderate may cause drowsiness or loss of quantities of product in inadequence (Chronic) None known CY AND FIRST AID PROMOTE (CHRONIC) Water for at least 15 minutes. If pap and water. The pap and water. CROTECTION INFORMED (CHRONIC) Water for a conditions of use protection (CHRONIC) Water for a conditions of use protection (CHRONIC) Water for a condition (CHRONIC)	Carcin PROCEDURES i persistent irritation MATION se. I Other Igles Other F	Protective ClothingNot I	nhalation Other Intact can cause dryness and irrit Inausea, vomiting and diarrhea n Interpretation of respiratory tract, headache, r Interpretation of the state	ation. Ingestion nay occur. ausea.
Primary Routes Signs and Symptoms of Overexposur (Acute) Signs and Symp Medical Condition Aggravated by Ove SECTION Eyes Flux Skin Wa Ingestion Dri Inhalation No SECTION Respiratory Pro Ventilation Req Protective Glov SECTION Steps to be Tak if Released or S	Eyes: liquid or vapor of large quantities of the process of Overexposure. Some serexposure of Overexposure of Overexposure. The process of Overexposure of Ove	AZARDS X Eye X Skin Dr can cause slight to moderate may cause drowsiness or loss of quantities of product in inadequents of the company of	riritation. Skin: proof consciousness. Stately ventilated area Carcin PROCEDURES persistent irritation MATION See. Il Other gles Other For Special Special Other For Special Specia	plonged or repeated contomach cramps, pain, as may cause irritation mogen/Suspect Carcino occurs, call a physiciar Protective ClothingNot suitable absorbent, the	nhalation Other Intact can cause dryness and irrit Inausea, vomiting and diarrhea n Interpretation of respiratory tract, headache, r Interpretation of the state	ation. Ingestion nay occur. ausea.
Primary Routes Signs and Symptoms of Overexposur (Acute) Signs and Sym Medical Condition Aggravated by Ove SECTION Eyes Flu Skin Wa Ingestion Dri Inhalation No SECTION Respiratory Pro Ventilation Req Protective Glov SECTION Steps to be Tak if Released or S Waste Disposal SECTION	Eyes: liquid or vapor of large quantities or re Inhalation of large of ptoms of Overexposure. None know 7 - EMERGENO CONTROLL STORM OF THE PROPERTY OF THE PRO	EXACARDS X Eye X Skin Dr can cause slight to moderate may cause drowsiness or loss of quantities of product in inadequence (Chronic) None known TOY AND FIRST AID FOR MATERIAL STATE (CHRONIC) Water for at least 15 minutes. If pap and water. TOTECTION INFORMATION OF COMMENT (CHRONIC) Water for a physician. TOTECTION INFORMATION OF COMMENT (CHRONIC) WATERIAL STATE (C	riritation. Skin: proof consciousness. Stately ventilated area care care care care care care care	plonged or repeated contomach cramps, pain, as may cause irritation rogen/Suspect Carcino occurs, call a physician protective ClothingNot a suitable absorbent, the Local ordinances.	nhalation Other Intact can cause dryness and irrit Inausea, vomiting and diarrhea n Interpretation of respiratory tract, headache, r Interpretation of the state	ation. Ingestion nay occur. ausea.

The health hazards given on this Material Safety Data Sheet apply to this product in its concentrated form(as supplied) and may differ significantly at use dilution. The signs and symptoms of overexposure apply only to negligence in handling or misuse of the concentrated product and not to the routine exposure to the product, if diluted, under conditions of ordinary use. DATE PREPAREDAugust 4, 2005 27-147A