

=====

MATERIAL SAFETY DATA SHEET (SUBSTITUTES FOR OSHA FORM 174): May be used to  
comply with OSHA's Hazard Communication Standard, 29 CFR 1910.1200.

=====

PRODUCT NUMBER: 2026010

IDENTITY: TRONIC

+ 16A

Revision Date: 08/15/2004

=====

Section I

-----

Manufacturer's Name: MKG SALES ASSOCIATES, INC.\*\*\*

Telephone Numbers:

Address:

MEDFORD INDUSTRIAL PARK

Emergency:

130 MILLER RD

800/255-3924

MEDFORD

Information:

State: NJ Zip Code: 08055

609/953-4700

-----

HMIS CODES: REACTIVITY: 2 FLAMMABILITY: 4 HEALTH: 1 PERSONAL PROTECT: A

Section II: HAZARDOUS INGREDIENTS/IDENTITY INFORMATION (All of the  
ingredients contained in this product are listed on the TSCA inventory.)

=====

Name	Cas No.	OSHA PEL	ACGIH TLV	OTHER LIM	%
CARBON DIOXIDE	124-38-9	5000 PPM	5000 PPM	N/A	_____
HEPTANE	142-82-5	400 PPM	400 PPM	N/A	_____
ISOPROPYL ALCOHOL	67-63-0	400 PPM	400 PPM	N/A	_____
_____	_____	_____	_____	_____	_____
_____	_____	_____	_____	_____	_____
_____	_____	_____	_____	_____	_____
_____	_____	_____	_____	_____	_____
_____	_____	_____	_____	_____	_____
_____	_____	_____	_____	_____	_____

Section III: PHYSICAL/CHEMICAL CHARACTERISTICS

=====

Boiling Point:

156

Specific Gravity (water=1)

0.68

Vapor Pressure(mm Hg)	124	Melting Point:	N/A
Vapor Density(AIR=1)	< 1	Evaporation Rate:	>1
Solubility in Water:	0%	(Butyl Acetate=1)	
Appearance and Odor:	CLEAR WATER WHITE SPRAY, SOLVENT ODOR		

#### Section IV: FIRE AND EXPLOSION HAZARD DATA

Flash Point(Method Used):<20 F TCC Flammable Limits: LEL:1.2 UEL: 7.5  
Extinguishing Media: STANDARD DRY CHEMICAL FIRE EXTINGUISHER  
Special Fire Fighting Procedures: SELF CONTAINED BREATHING APPARATUS.

Unusual Fire and Explosion Hazards: FLAMMABLE CONTENTS UNDER PRESSURE DO NOT EXPOSE TO TEMPERTATURES ABOVE 120F AS BURTSING COULD OCCUR. MAY DEVELOP FLAMMABLE ATMOSPHERE IN CONFINED AREAS.

#### Section V: REACTIVITY DATA

PRODUCT NUMBER: 514

Stability: Unstable: Conditions to avoid: TEMPERATURES ABOVE 120 F  
Stable: X  
Incompatability (Materials to Avoid): NONE KNOWN

Hazardous Decomposition or Byproducts: OXIDES OF CARBON

Hazardous Polymerization: May Occur: Will Not Occur: X  
Conditions to Avoid: NONE KNOWN

#### Section VI: HEALTH HAZARD DATA

Routes of Entry: Inhalation: YES Skin: YES Ingestion: YES  
Health Hazards(Acute and Chronic):  
INHALATION: DIZZINESS. INGESTION: NAUSEA. SKIN: MILD IRRITATION. MAY CAUSE LOCALIZED DEFATTING OF TISSUE. EYES: IRRITATION, REDDENING.

Carcinogenicity: NTP:NO IARC Monographs:NO OSHA Reg:NO  
Signs and Symptoms of Exposure: SEE HEALTH HAZARDS

Medical Conditions Generally Aggravated by Exposure: NONE

Emergency and First Aid Procedures: INHALATION: REMOVE TO FRESH AIR. APPLY ARTIFICIAL RESPIRATION IF INDICATED. INGESTION: DO NOT INDUCE VOMITING. CONTACT PHYSICIAN IMMEDIATELY. SKIN: WASH WITH SOAP AND WATER. EYES:

FLUSH WITH WATER AND CONTACT PHYSICIAN.

Section VII: PRECAUTIONS FOR SAFE HANDLING AND USE

Steps to be Taken in Case Material is Released or Spilled: WIPE UP WITH RAG OR USE SOME ABSORBENT CLAY MATERIAL.

Waste Disposal Method: DISPOSE OF RESIDUE IN ACCORDANCE WITH FEDERAL, STATE AND LOCAL GUIDELINES.

Precautions to be Taken in Handling and Storing: DO NOT USE OR STORE NEAR HEAT OR OPEN FLAME. EXPOSURE TO TEMPERATURES ABOVE 120F MAY CAUSE BURSTING.

Other Precautions: VAPOR MAY COLLECT IN LOW LYING AREAS.

Section VIII: CONTROL MEASURES

Respiratory Protection: USE ONLY IN WELL VENTILATED AREAS.  
Ventilation: Local Exhaust:SUFFICIENT  
Mechanical: N/A Special: N/A  
Other: N/A  
Protective Gloves:N/A  
Eye Protection: SAFETY GLASSES ARE RECOMMENDED WHENEVER CHEMICALS ARE USED.  
Other Protective Clothing or Equipment:  
N/A  
Work/Hygienic Practices:  
WASH HANDS AFTER USE.