

=====

MATERIAL SAFETY DATA SHEET (SUBSTITUTES FOR OSHA FORM 174): May be used to comply with OSHA's Hazard Communication Standard, 29 CFR 1910.1200.

=====

PRODUCT NUMBER: 3035680

IDENTITY: BOMBS AWAY VANILLA

Revision Date: 08/09/2004

Section I

Manufacturer's Name: MKG SALES ASSOCIATES, INC.***

Address: MEDFORD INDUSTRIAL PARK

130 MILLER RD

MEDFORD

State: NJ Zip Code: 08055

Telephone Numbers:

Emergency:

800/255-3924

Information:

609/953-4700

HMIS CODES: REACTIVITY: 1 FLAMMABILITY: 1 HEALTH: 1 PERSONAL PROTECT: A

Section II: HAZARDOUS INGREDIENTS/IDENTITY INFORMATION (All of the ingredients contained in this product are listed on the TSCA inventory.)

=====

Name	Cas No.	OSHA PEL	ACGIH TLV	OTHER LIM	%
ACETONE	67-64-1	1000 PPM	750 PPM	N/A	_____
ISOPARAFINIC HYDROCARBON	64742-47-8	400 PPM	400 PPM		_____
PROPANE/N-BUTANE	68476-86-8	1000 PPM	600 PPM	N/A	_____
_____	_____	_____	_____	_____	_____
_____	_____	_____	_____	_____	_____
_____	_____	_____	_____	_____	_____
_____	_____	_____	_____	_____	_____
_____	_____	_____	_____	_____	_____
_____	_____	_____	_____	_____	_____

Section III: PHYSICAL/CHEMICAL CHARACTERISTICS

=====

Boiling Point: 165 Specific Gravity (water=1) 0.95

Vapor Pressure(mm Hg)	44	Melting Point:	N/A
Vapor Density(AIR=1)	1	Evaporation Rate:	>1
Solubility in Water:	100%	(Butyl Acetate=1)	
Appearance and Odor:	CLEAR SPRAY, VANILLA ODOR		

Section IV: FIRE AND EXPLOSION HAZARD DATA

Flash Point(Method Used):>200F TCC Flammable Limits: LEL:N/A UEL: N/A
Extinguishing Media: STANDARD CHEMICAL FIRE EXTINGUISHER
Special Fire Fighting Procedures: NONE

Unusual Fire and Explosion Hazards: CONTENTS UNDER PRESSURE. EXPOSURE TO TEMPERATURES ABOVE 130 F MAY CAUSE BURSTING. CONTAINS FLAMMABLE PROPELLANT.

Section V: REACTIVITY DATA

PRODUCT NUMBER: 324

Stability: Unstable: Conditions to avoid:
Stable: X TEMPERATURES ABOVE 120 DEG F.
Incompatability (Materials to Avoid): STRONG OXIDIZERS, ALKALIES, ACIDS
Hazardous Decomposition or Byproducts: NONE KNOWN
Hazardous Polymerization: May Occur: Will Not Occur: X
Conditions to Avoid: NONE

Section VI: HEALTH HAZARD DATA

Routes of Entry: Inhalation: YES Skin: YES Ingestion: YES
Health Hazards(Acute and Chronic):
INHALATION: MAY CAUSE DIZZINESS IF OVEREXPOSED. EYES: MAY CAUSE SLIGHT IRRITATION/BURNING. SKIN: MAY CAUSE LOCALIZED DEFATTING OF SKIN. INGESTION: MAY CAUSE NAUSEA.
Carcinogenicity: NTP:NO IARC Monographs:NO OSHA Reg:NO
Signs and Symptoms of Exposure: SEE HEALTH HAZARDS ABOVE

Medical Conditions Generally Aggravated by Exposure: NONE KNOWN

Emergency and First Aid Procedures: INHALATION: REMOVE TO FRESH AIR. SEE PHYSICIAN IF DIFFICULTY IN BREATHING PERSISTS. EYES: FLUSH WITH WATER FOR 15 MINUTES. CONSULT PHYSICIAN IF IRRITATION PERSISTS. SKIN: WASH WITH SOAP

AND WATER. INGESTION: DRINK SEVERAL GLASSES OF WATER. CONSULT PHYSICIAN.

Section VII: PRECAUTIONS FOR SAFE HANDLING AND USE

=====

Steps to be Taken in Case Material is Released or Spilled: MOP OR WIPE UP SPILL. DISPOSE OF IN ACCORDANCE WITH FEDERAL, STATE AND LOCAL GUIDELINES.

Waste Disposal Method: WRAP CONTAINER AND PLACE IN TRASH COLLECTION. DO NOT PUNCTURE OR INCINERATE CONTAINER.

Precautions to be Taken in Handling and Storing: STORE IN A COOL DRY AREA. KEEP AWAY FROM HEAT, FLAME OR SPARKS.

Other Precautions: N/A

Section VIII: CONTROL MEASURES

=====

Respiratory Protection: N/A

Ventilation: Local Exhaust:ADEQUATE

Mechanical: N/A

Special: N/A

Other: N/A

Protective Gloves:N/A

Eye Protection: SAFETY GLASSES ARE RECOMMENDED WHEN USING CHEMICAL PRODUCTS

Other Protective Clothing or Equipment:

N/A

Work/Hygienic Practices:

WASH HANDS AFTER USE

□