

=====

==

MATERIAL SAFETY DATA SHEET (SUBSTITUTES FOR OSHA FORM 174): May be used to comply with OSHA's Hazard Communication Standard, 29 CFR 1910.1200.

=====

==

PRODUCT NUMBER: 3035685
IDENTITY: BOMBS AWAY PEACH

Revision Date: 08/09/2004

--

Section I

--

Manufacturer's Name:	MKG SALES ASSOCIATES, INC.***	Telephone Numbers:
Address:	MEDFORD INDUSTRIAL PARK	Emergency:
	130 MILLER RD	800/255-3924
	MEDFORD	Information:
	State: NJ Zip Code:08055	609/953-4700

HMIS CODES: REACTIVITY: 1 FLAMMABILITY: 2 HEALTH: 1 PERSONAL PROTECT: A

Section II: HAZARDOUS INGREDIENTS/IDENTITY INFORMATION (All of the ingredients contained in this product are listed on the TSCA inventory.)

=====

=====

Name	Cas No.	OSHA PEL	ACGIH TLV	OTHER LIM
%				
ACETONE	67-64-1	1000 PPM	750 PPM	N/A
ISOPARAFINIC HYDROCARBON	64742-47-8	400 PPM	400 PPM	
PROPANE/N-BUTANE	68476-86-8	1000 PPM	600 PPM	N/A
-----	-----	-----	-----	-----
-----	-----	-----	-----	-----
-----	-----	-----	-----	-----

-----	-----	-----	-----	-----

-----	-----	-----	-----	-----

-----	-----	-----	-----	-----

-----	-----	-----	-----	-----

Section III: PHYSICAL/CHEMICAL CHARACTERISTICS

=====			
=====			
Boiling Point:	165	Specific Gravity (water=1)	
0.95			
Vapor Pressure(mm Hg)	44	Melting Point:	N/A
Vapor Density(AIR=1)	1	Evaporation Rate:	>1
Solubility in Water:	100%	(Butyl Acetate=1)	
Appearance and Odor:	CLEAR SPRAY, PEACH ODOR		

Section IV: FIRE AND EXPLOSION HAZARD DATA

=====			
=====			
Flash Point(Method Used):	<200F TCC	Flammable Limits:	LEL:N/A UEL: N/A
A			
Extinguishing Media:	STANDARD CHEMICAL FIRE EXTINGUISHER		
Special Fire Fighting Procedures:	NONE		

Unusual Fire and Explosion Hazards: CONTENTS UNDER PRESSURE. EXPOSURE TO TEMPERATURES ABOVE 130 F MAY CAUSE BURSTING. CONTAINS FLAMMABLE PROPELLANT.

Section V: REACTIVITY DATA

PRODUCT NUMBER: 326

=====

Stability: Unstable: Conditions to avoid:
 Stable: X TEMPERATURES ABOVE 120 DEG F.
Incompatability (Materials to Avoid): STRONG OXIDIZERS, ALKALIES, ACIDS

Hazardous Decomposition or Byproducts: NONE KNOWN

Hazardous Polymerization: May Occur: Will Not Occur: X
Conditions to Avoid: NONE

Section VI: HEALTH HAZARD DATA

=====

Routes of Entry: Inhalation: YES Skin: YES Ingestion:
YES

Health Hazards(Acute and Chronic):
INHALATION: MAY CAUSE DIZZINESS IF OVEREXPOSED. EYES: MAY CAUSE SLIGHT
IRRITATION/BURNING. SKIN: MAY CAUSE LOCALIZED DEFATTING OF SKIN.

INGESTION:

MAY CAUSE NAUSEA.

Carcinogenicity: NTP:NO IARC Monographs:NO OSHA Reg:NO

Signs and Symptoms of Exposure: SEE HEALTH HAZARDS ABOVE

Medical Conditions Generally Aggravated by Exposure: NONE KNOWN

Emergency and First Aid Procedures: INHALATION: REMOVE TO FRESH AIR. SEE
PHYSICIAN IF DIFFICULTY IN BREATHING PERSISTS. EYES: FLUSH WITH WATER FOR
15 MINUTES. CONSULT PHYSICIAN IF IRRITATION PERSISTS. SKIN: WASH WITH
SOAP

AND WATER. INGESTION: DRINK SEVERAL GLASSES OF WATER. CONSULT PHYSICIAN.

Section VII: PRECAUTIONS FOR SAFE HANDLING AND USE

=====

===

Steps to be Taken in Case Material is Released or Spilled: MOP OR WIPE UP SPILL. DISPOSE OF IN ACCORDANCE WITH FEDERAL, STATE AND LOCAL GUIDELINES.

Waste Disposal Method: WRAP CONTAINER AND PLACE IN TRASH COLLECTION. DO NOT PUNCTURE OR INCINERATE CONTAINER.

Precautions to be Taken in Handling and Storing: STORE IN A COOL DRY AREA. KEEP AWAY FROM HEAT, FLAME OR SPARKS.

Other Precautions: N/A

Section VIII: CONTROL MEASURES

=====

===

Respiratory Protection: N/A

Ventilation: Local Exhaust: ADEQUATE

Mechanical: N/A

Special: N/A

Other: N/A

Protective Gloves: N/A

Eye Protection: SAFETY GLASSES ARE RECOMMENDED WHEN USING CHEMICAL PRODUCTS

Other Protective Clothing or Equipment:

N/A

Work/Hygienic Practices:

WASH HANDS AFTER USE