

=====
MATERIAL SAFETY DATA SHEET (SUBSTITUTES FOR OSHA FORM 174): May be used to
comply with OSHA's Hazard Communication Standard, 29 CFR 1910.1200.
=====

PRODUCT NUMBER: 5050050

IDENTITY: RENEW

+ 16A

Revision Date: 09/18/2002

Section I

Manufacturer's Name: MKG SALES ASSOCIATES, INC.***

Address: MEDFORD INDUSTRIAL PARK

130 MILLER RD

MEDFORD

State: NJ Zip Code: 08055

Telephone Numbers:

Emergency:

800/255-3924

Information:

609/953-4700

HMIS CODES: REACTIVITY: 1 FLAMMABILITY: 3 HEALTH: 2 PERSONAL PROTECT: B

Section II: HAZARDOUS INGREDIENTS/IDENTITY INFORMATION (All of the
ingredients contained in this product are listed on the TSCA inventory.)

Name Cas No. OSHA PEL ACGIH TLV OTHER LIM %
ACETONE 67-64-1 1000 PPM 750 PPM N/A _____
ISOPARAFINIC HYDROCARBON 64742-47-8 400 PPM 400 PPM _____
ISOPROPYL ALCOHOL 67-63-0 400 PPM 400 PPM N/A _____
PROPANE/N-BUTANE 68476-86-8 1000 PPM 600 PPM N/A _____
TRICHLOROETHYLENE *+ 79-01-6 100PPM 50PPM N/A _____

Comment:

THIS PRODUCT CONTAINS THE TOXIC CHEMICALS MARKED WITH AN * SUBJECT
TO THE REPORTING REQUIREMENTS OF SECTION 313 OF THE EMERGENCY PLANNING
AND COMMUNITY RIGHT-TO-KNOW ACT OF 1986 AND OF 40CFR372.

THIS PRODUCT CONTAINS CHEMICAL(S) MARKED WITH A + KNOWN
TO THE STATE OF CALIFORNIA TO CAUSE CANCER.

Section III: PHYSICAL/CHEMICAL CHARACTERISTICS

Boiling Point: 104 Specific Gravity (water=1) 1.18
Vapor Pressure(mm Hg) N/A Melting Point: N/A

Vapor Density(AIR=1) >1 Evaporation Rate: >1
Solubility in Water: 0% (Butyl Acetate=1)
Appearance and Odor: WHITE SPRAY, CHLORINATED SOLVENT ODOR.

Section IV: FIRE AND EXPLOSION HAZARD DATA

Flash Point(Method Used):>100F TCC Flammable Limits: LEL:N/A UEL: N/A
Extinguishing Media: STANDARD DRY CHEMICAL FIRE EXTINGUISHER
Special Fire Fighting Procedures: WEAR SELF CONTAINED BREATHING APPARATUS.

Unusual Fire and Explosion Hazards: FLAMMABLE. CONTENTS UNDER PRESSURE.
DO NOT PUNCTURE OR INCINERATE CONTAINER. KEEP AWAY FROM HEAT OR TEMPERATURES
ABOVE 120 F. EXPOSE TO TEMPERATURES ABOVE 120F MAY CAUSE CAN TO BURST.

Section V: REACTIVITY DATA

PRODUCT NUMBER: 591

Stability: Unstable: Conditions to avoid:
Stable: X TEMPERATURES ABOVE 120F
Incompatibility (Materials to Avoid): MAY EFFECT CERTAIN PLASTICS. STORE
AWAY FROM HEAT AND OPEN FLAME.
Hazardous Decomposition or Byproducts: CARBON MONOXIDE, CARBON DIOXIDE,
HYDROGEN CHLORIDE AND PHOSGENE FROM HEATING
Hazardous Polymerization: May Occur: Will Not Occur: X
Conditions to Avoid: TEMPERATURES ABOVE 120F

Section VI: HEALTH HAZARD DATA

Routes of Entry: Inhalation: YES Skin: YES Ingestion:NO
Health Hazards(Acute and Chronic):
INHALATION: DIZZINESS, HEADACHE, SICKNESS. EYES: STRONG IRRITATION.
SKIN: WILL IRRITATE IF LEFT UNTREATED, POSSIBLY CAUSING DERMATITIS.
INGESTION: NAUSEA, VOMITING AND DIARRHEA.
Carcinogenicity: NTP:NO IARC Monographs:Yes OSHA Reg:NO
Signs and Symptoms of Exposure: SEE HEALTH HAZARDS ABOVE

Medical Conditions Generally Aggravated by Exposure: EXCESSIVE EXPOSURE
WILL AGGRAVATE RESPIRATORY, CARDIOVASCULAR OR PULMONARY ILLNESSES.

Emergency and First Aid Procedures: INHALATION: REMOVE TO FRESH AIR. CONSULT
PHYSICIAN IF DIFFICULTY IN BREATHING PERSISTS. EYES: FLUSH WITH WATER FOR
15 MINUTES. CONSULT PHYSICIAN. SKIN: WASH AREA WITH SOAP AND WATER.
INGESTION: CONSULT PHYSICIAN.

Section VII: PRECAUTIONS FOR SAFE HANDLING AND USE

Steps to be Taken in Case Material is Released or Spilled: WIPE UP SMALL SPILL WITH TOWEL AND ALLOW AREA TO DRY. EXCESS MAY BE REMOVED AFTER DRYING WITH SANDPAPER OR OTHER SCRAPING DEVICE. DISPOSE OF RESIDUE IN ACCORDANCE WITH FEDERAL, STATE AND LOCAL GUIDELINES.

Waste Disposal Method: WRAP CONTAINER AND PLACE IN TRASH COLLECTION. DO NOT PUNCTURE OR INCINERATE CONTAINER.

Precautions to be Taken in Handling and Storing: STORE IN A COOL DRY AREA. KEEP AWAY FROM HEAT OR OPEN FLAMES.

Other Precautions: TEMPERATURES ABOVE 120 F MAY CAUSE BURSTING.

Section VIII: CONTROL MEASURES

Respiratory Protection: USE ONLY IN WELL VENTILATED AREA.

Ventilation: Local Exhaust: ADEQUATE

Mechanical: N/A

Special: N/A

Other: N/A

Protective Gloves: CHEMICAL RESISTANT

Eye Protection: SAFETY GOGGLES ARE RECOMMENDED WHENEVER CHEMICALS ARE USED.

Other Protective Clothing or Equipment:

N/A

Work/Hygienic Practices:

WASH HANDS AFTER USE.

□