MATERIAL SAFETY DATA SHEET
This MSDS complies with OSHA'S Hazard Communication Standard 29 CFR 1910.1200 and OSHA Form 174

IDENTITY AND MANUFACTURER'S INFORMATION						
HMIS Rating:Health-3; Flammability-3; Reactivity-0; Personal Protection-B						
Manufacturer's Name: MKG Sales Associates, Inc.		Identity:				
Address: 409 Bloomfield Dr. Unit 5	1	Graffiti & Spray Paint Remover				
West Berlin, NJ 08091		Oramii a opray r ame temover				
Date Prepared: 11/1/96 Prepared By: RR	MS	MSDS Number: 5058500				
Information Calls: (609)753-7111	11.0	NOTICE: JUDGMENT BASED ON INDIRECT TEST DATA				
EMERGENCY RESPONSE NUMBER: 1-800-535-5053						)
SECTION 1 - MATERIAL IDENTIFICATION AND INFORMATION						
COMPONENTS-CHEMICAL NAMES AND COMMON NAMES (Hazardous Components 1% or greater; Carcinogens 0.1% or greater)		CAS Number	% (opt.)	OSHA PEL (ppm)	ACGIH TLV (ppm)	Other limits recommended
*2-Butoxyethanol (skin designation)		111-76-2	10-30	(ppiii) 25	25	recommended
Isoparaffinic hydrocarbon	68551-17-7	10-30	Not estab.	Not estab.	400 ppm**	
Ethyl ethanoate	141-78-6		400	400	+00 ррпп	
1-Methoxy-2-propanol	107-98-2		700	700		
1-wethoxy-z-proparior	107-30-2					
* This product contains 2-Butoxyethanol (a glycol ether compound) which is listed and may require reporting under SARA TITLE III Sec. 313 if used over the						
threshold reporting quantity. This information must be included in all MSDSs that are copied and distributed for this material.						
** Manufacturers recommendation  Any substance listed as hazardous by the States of California, Florida, Illinois, Michigan, New Jersey, Ohio, Pennsylvania or Texas is described above if known						
present in regulated concentrations.						
SECTION 2 - PHYSICAL/CHEMICAL CHARACTERISTICS						
Boiling Point: Specific Gravity (H2O=1):						
Vapor Pressure:		Vapor Pressure: °F				
Vapor Density (Air = 1):	Evaporation Rate (= 1):					
Solubility in Water: Water Reactive:						
Appearance and Odor:						
SECTION 3 - FIRE AND EXPLOSION HAZARD DATA						
AMMABILITY as per USA FLAME PROJECTION TEST  Auto Ignition Temperature  Flammability Limits in Air by % in Volume:						
aerosols) % LEL: % UEL:						
SPECIAL FIRE FIGHTING PROCEDURES:						
Unusual Fire & Explosion Hazards:						
SECTION 4 - REACTIVITY HAZARD DATA						
STABILITY [ ] STABLE [ ] UNSTABLE HAZARDOUS POLYMERIZATION [ ] WILL [ ] WILL NOT OCCUR						
Incompatibility (Mat. to avoid): Conditions to Avoid:						
Hazardous Decomposition Products:						
SECTION 5 - HEALTH HAZARD DATA						
PRIMARY ROUTES OF ENTRY: [ ]INHALATION [ ]INGESTION [ ]SKIN ABSORPTION [ ]EYE [ ] NOT HAZARDOUS						
ACUTE EFFECTS						
Inhalation:						
Eye Contact: Skin Contact:						
Ingestion:						
CHRONIC EFFECTS:						
Medical Conditions Generally Aggravated by Exposure:						
EMERGENCY FIRST AID PROCEDURES						
Eye Contact:						
Skin Contact:						
Inhalation:						
Ingestion: DO NOT INDUCE VOMITING.						
SECTION 6 - CONTROL AND PROTECTIVE MEASURES						
Respiratory Protection (specify type):						
Protective Gloves: Eye Protection:						
Ventilation Requirements:						
Other Protective Clothing & Equipment:						
Hygienic Work Practices:						
SECTION 7 - PRECAUTIONS FOR SAFE HANDLING AND USE						
Steps To Be Taken If Material Is Spilled Or Released:						
Waste Disposal Methods:						
Precautions To Be Taken In Handling & Storage:						
Other Precautions &/or Special Hazards: KEEP OUT OF REACH OF CHILDREN. Read & follow label directions.						
The state of the s						

We believe the statements, technical information and recommendations contained herein are reliable, but they are given without warranty or guarantee of any kind.

\*\* Chemical Listed as Carcinogen or Potential Carcinogen. [a] NTP [b] IARC Monograph [c] OSHA [d] Not Listed [e] Animal Data Only